interscience

BagLight PolySilk

Blender bag without filter, transparent

Ref. 131 025 (100 mL) - Ref. 132 025 (400 mL) - Ref. 132 050 (400 mL) -Ref. 132 525 unmarked (400 mL)- Ref. 132 200 (2000 mL) - Ref. 133 025 (3500 mL)



Standards:







Manufactured under:



BagLight PolySilk is a blender bag without filter. It is ideal for sample preparation.

TECHNICAL SPECIFICATIONS

- Non-filter bag
- PolySilk, polyolefin complex
- Flexible and transparent
- · No contact between the sample and the blender during homogenization of the sample
- · Compatible with any lab blender
- Available in 100/400/2000/3500 mL
- Gamma ray treated: Gamma 5 to 13 kGy, with certificate
- Shelf-life: 10 years
- Resistant to freezing and high temperatures (from -40 °C to 80 °C / -40 °F to 176 °F)
- Storage: in a temperate and dry place, away from humidity and light
- In compliance with ISO 7218, ISO 6887 and FDA BAM (Bacteriological Analytical Manual)
- Approved for food contact Regulation (EC) N° 1935/2004
- Designed and made in France

BagLight PolySilk 100

Ref. 131 025

- · Max blending volume: 100 mL
- Optimal blending volume: 5 50 mL
- Bag dimensions: 110 x 200 mm
- Box dimensions: 31 x 22 x 7 cm, weight: 1.80 kg
- Pack of 25
- Box of 500

1 / 3

FT_003697_ Technical File BagLight PolySilk_EN_02_02 Pictures and information are not contractually binding. INTERSCIENCE reserves the right to change or improve the specifications of its products without notice. Please visit www.interscience.com for current updates and additional information. RCS 950 356 220 Versailles. INTERSCIENCE SARL F78860



Phone: +81 3 6712 9715 info@interscience.com | sales.germany@interscience.com | sales.usa@intersciencelab.com | sales.china@interscience.con | sales.asia@interscience.com | sales.japan@interscience.com

interscience

BagLight PolySilk 400

Ref. 132 025

Max blending volume: 400 mL

Optimal blending volume: 50 - 300 mL

Bag dimensions: 175 x 300 mm

Box dimensions: 35 x 21 x 11 cm, weight: 4.10 kg

 Pack of 25 Box of 500

BagLight PolySilk 400

Ref. 132 050

Max blending volume: 400 mL

Optimal blending volume: 50 - 300 mL

• Bag dimensions: 175 x 300 mm

• Box dimensions: 35 x 21 x 11 cm, weight: 4.10 kg

 Pack of 50 Box of 500

BagLight PolySilk 400 unmarked

Ref. 132 525

· Max blending volume: 400 mL

Optimal blending volume: 50 - 300 mL

Bag dimensions: 175 x 300 mm

• Box dimensions: 35 x 23 x 11 cm, weight: 4.30 kg

 Pack of 50 Box of 500

BagLight PolySilk 2000

Ref. 132 200

• Max blending volume: 2000 mL

Optimal blending volume: 400 - 1500 mL

Bag dimensions: 250 x 380 mm

Box dimensions: 48 x 29 x 14 cm, weight: 10.2 kg

 Pack of 25 Box of 500

BagLight PolySilk 3500

Ref. 133 025

Max blending volume: 3750 mL

Optimal blending volume: 400 - 3750 mL

2/3

FT_003697_ Technical File BagLight PolySilk_EN_02_02 Pictures and information are not contractually binding. INTERSCIENCE reserves the right to change or improve the specifications of its products without notice. Please visit www.interscience.com for current updates and additional information. RCS 950 356 220 Versailles. INTERSCIENCE SARL F78860

interscience

• Bag dimensions: 380 x 560 mm

• Box dimensions: 41 x 34 x 12 cm, weight: 7.70 kg

• Pack of 25 • Box of 250

3 / 3

FT_003697_ Technical File BagLight PolySilk_EN_02_02 Pictures and information are not contractually binding. INTERSCIENCE reserves the right to change or improve the specifications of its products without notice. Please visit www.interscience.com for current updates and additional information. RCS 950 356 220 Versailles. INTERSCIENCE SARL F78860

SHANGHAI

info@interscience.com | sales.germany@interscience.com | sales.usa@interscience.com | sales.usa@intersc