

FlexiPump

Peristaltic pump for liquid distribution

Ref. 561 000



In compliance with:



Manufacture:



FlexiPump is a peristaltic dosing pump for distribution culture media, agar and all types of diluent, from 50 µL to 99 L. Compact and ergonomic, it features an intuitive interface.

OVERVIEW

- All stainless steel 304 L body
- Handy gun compatible

SPECIFICATIONS

- Volume dispensed in dose or multidose mode: 50 µL to 99 L
- Typical dispensing accuracy with inner Ø 3.2 mm tubings
 - 9 mL : ± 1.8%
 - 18 mL : ± 1%
 - 225 mL : ± 0.5%
- Dispensing modes: Continuous - Dose - Multi-dose
- 32 customizable programs
- Pause time in Multidose mode: adjustable from 0.1 to 99.9 s
- Number of dispensing for 9 mL tubes: 35 x 9 mL tubes in 1 min (in multi-dose mode with a delay of 0.1 s under optimal conditions)
- Number of dispensing for 18 mL plates: 26 x 18 mL plates in 1 min (in multi-dose mode with a delay of 0.1 s under optimal conditions)
- Number of dispensing for 220 mL sample bags: 5 dispensing of 220 mL in 1 min (in multi-dose mode with a delay of 0.1 s under optimal conditions)
- Number of pumps: Single pump head
- Flow rates: 1.5 mL/min to 1.25 L/min
- Pump head rotating speed: 10 to 550 rpm
- Tubing material: Tygon™ (for pump head) and silicone
- Connection: Jack 3.5 mm
- Voltage and frequency: 100-240 V ~ 50-60 Hz
- Fuses: T 2.5 A L 250 V 5x20 mm
- Power: 50 W
- International protection marking: IP31
- Warranty: 1 year
- Spare parts availability: 10 years
- Designed and manufactured in France
- In compliance with ISO 7218, ISO 6887 and FDA BAM (Bacteriological Analytical Manual) standards
- CE, UKCA, RoHS, WEEE manufacturing
- Suitable for use in accordance with Good Laboratory Practice (GLP)

1 / 3

FT_003791_03_01_FlexiPump_EN Information and photos are not contractual. INTERSCIENCE reserves the right to change or improve product specifications without notice. Please visit www.interscience.com for more information. RCS 950 356 220 Versailles. INTERSCIENCE SARL F78860

interscience in the world

PARIS

Phone: +33 1 34 62 62 61
info@interscience.com

FRANKFURT

Phone: +49 611 7238 7770
sales.germany@interscience.com

BOSTON

Phone: +1 781 937 0007
sales.usa@intersciencelab.com

SHANGHAI

电话: +86 178 2123 6642
sales.china@interscience.cn

SINGAPORE

Phone: +65 6977 7232
sales.asia@interscience.com

TOKYO

Phone: +81 3 6712 9715
sales.japan@interscience.com

WEIGHTS AND DIMENSIONS

FlexiPump	Dimensions (w x d x h)	16.1 x 27.3 x 20.8 cm
	Net weight	5.40 kg
	Gross weight	8.20 kg
Boxing	Dimensions (w x d x h)	50 x 40 x 40 cm

DELIVERED WITH

- 1 peristaltic pump head
- 1 set of 3.2 mm dispensing assembly (nozzle + GL45 bottle connector + filter + tubing + tube weight)
- 1 user's manual
- 1 power cord
- 1 free pack of blender bags
- 1 conformity certificate / warranty card

ACCESSORIES

- Ref. 413 002 2 L bottle (GL45): Set of 3 GL45 glass bottles (2 L), autoclavable
- Ref. 507 008 Foot pedal: For hands-free dispensing. Connection with a 3.5 mm Jack
- Ref. 513 001 5 L bottle (GL45): GL45 glass bottle (5 L), autoclavable
- Ref. 513 015 Independent stand for broth bags: Independent stand for 2 broth bags
- Ref. 561 001 Handy gun: handy gun with electronic knob for higher control during distribution
- Ref. 561 002 Adjustable distribution arm: For filling various containers

TUBINGS

- Ref. 413 028 Tube weights (Ø 3 mm): Set of 5 tube weights (inner Ø 3 mm)
- Ref. 513 011 Tubings for pump (Ø 4.8 mm): Set of 6 Tygon™ tubings for pump part (20 cm). Inner Ø 4.8 mm
- Ref. 513 020 Trocar: Stainless steel trocar + cap for broth bags
- Ref. 513 023 PTFE filters 0.2 µm (Ø 25 mm): Set of 5 autoclavable PTFE filters (0.2 µm) for GL45 bottle
- Ref. 513 024 Nozzles (tubings Ø 4.8 - 8 mm): Set of 5 PEEK nozzles + caps for tubings from 4.8 to 8 mm Inner diameter
- Ref. 513 039 Tube weights (Ø 6 mm): Set of 5 PTFE tube weights - Ø 6 mm
- Ref. 513 040 Nozzles (tubings Ø 1.6 - 3.2 mm): Set of 5 PEEK nozzles + caps for tubings from 1.6 to 3.2mm Inner diameter
- Ref. 513 048 Cap (Ø 1.6 - 3.2 mm): Set of 5 protection caps for nozzles (tubings Ø 1.6 - 3.2 mm) or trocar
- Ref. 513 049 Cap (Ø 4.8 - 8 mm): Set of 5 protection caps for nozzles (tubings Ø 4.8 - 8 mm)
- Ref. 513 052 Tubings for pump Steriwater (Ø 6.4 mm): Set of 2 Tygon™ tubings for pump part (50 cm) + 2 filters 0.2 µm. Inner Ø 6.4 mm
- Ref. 561 050 Dispensing assembly Steriwater (GL45 - Ø 6.4 mm): Set of silicone tubings inner Ø 6.4 mm + GL45 screw cap + filter + tube weight + nozzle + cap + 0.2 µm filter - Compatible with FlexiPump
- Ref. 561 101 Dispensing assembly (GL45 - Ø 1.6 mm): Set of silicone tubings inner Ø 1.6 mm + GL45 screw cap + tube weight + nozzle + cap + filter
- Ref. 561 102 Dispensing assembly (GL45 - Ø 3.2 mm): Set of silicone tubings inner Ø 3.2 mm + GL45 screw cap + tube weight + nozzle + cap + filter
- Ref. 561 103 Dispensing assembly (GL45 - Ø 4.8 mm): Set of silicone tubings inner Ø 4.8 mm + GL45 screw cap + tube weight + nozzle + cap + filter
- Ref. 561 104 Dispensing assembly (GL45 - Ø 6.4 mm): Set of silicone tubings inner Ø 6.4 mm + GL45 screw cap + tube weight + nozzle + cap + filter
- Ref. 561 105 Dispensing assembly (GL45 - Ø 8 mm): Set of silicone tubings inner Ø 8 mm + GL45 screw cap + tube weight + nozzle + cap + filter
- Ref. 561 201 Tubings (Ø 1.6 mm): Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + straight connectors) - inner Ø 1.6 mm
- Ref. 561 202 Tubings (Ø 3.2 mm): Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + straight connectors) - inner Ø 3.2 mm
- Ref. 561 203 Tubings (Ø 4.8 mm): Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + straight connectors) - inner Ø 4.8 mm

2 / 3

FT_003791_03_01_FlexiPump_EN Information and photos are not contractual. INTERSCIENCE reserves the right to change or improve product specifications without notice. Please visit www.interscience.com for more information. RCS 950 356 220 Versailles. INTERSCIENCE SARL F78860

interscience in the world

PARIS

Phone: +33 1 34 62 62 61
info@interscience.com

FRANKFURT

Phone: +49 611 7238 7770
sales.germany@interscience.com

BOSTON

Phone: +1 781 937 0007
sales.usa@intersciencelab.com

SHANGHAI

电话: +86 178 2123 6642
sales.china@interscience.cn

SINGAPORE

Phone: +65 6977 7232
sales.asia@interscience.com

TOKYO

Phone: +81 3 6712 9715
sales.japan@interscience.com

- Ref. 561 204 Tubings (Ø 6.4 mm): Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + straight connectors) - inner Ø 6.4 mm
- Ref. 561 205 Tubings (Ø 8 mm): Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + straight connectors) - inner Ø 8 mm
- Ref. 561 301 Tubings for pump (Ø 1.6 mm): Set of 6 Tygon™ tubings for pump part (20 cm). Inner Ø 1.6 mm
- Ref. 561 302 Tubings for pump (Ø 3.2 mm): Pack of 6 Tygon™ tubings for pump part (20 cm). Inner Ø 3.2 mm
- Ref. 561 304 Tubings for pump (Ø 6.4 mm): Set of 6 Tygon™ tubings for pump part (20 cm). Inner Ø 6.4 mm
- Ref. 561 305 Tubings for pump (Ø 8 mm): Set of 6 Tygon™ tubings for pump part (20 cm). Inner Ø 8 mm
- Ref. 561 401 Autoclavable GL45 stopper + 0.2 µm filter: Autoclavable stopper for GL45 bottle + 0.2 µm filter
- Ref. 561 402 Straight connectors (tubings Ø 1.6 mm): Set of 6 straight plastic connectors for inner Ø 1.6 mm tubings
- Ref. 561 403 Straight connectors (tubings Ø 6.4 - 8 mm): Set of 6 straight plastic connectors for inner Ø 6.4 and 8 mm tubings
- Ref. 561 404 Straight connectors (tubings Ø 3.2 - 4.8 mm): Set of 6 straight plastic connectors for inner Ø 4.8 and 3.2 mm tubings