interscience

BagMixer® 400 W







400 mL lab blender

Ref. 022 000 (100-127 V~ / 220-240 V~)

Ref. 022 230 (220-240 V~)



Standards:







Manufactured under:









BagMixer® 400 W blends efficiently any kind of sample in any kind of bag, without any risk of contamination. The glass door allows a quick control of the blending in progress.

TECHNICAL SPECIFICATIONS

- All stainless steel 304 L
- Window door
- Fully opening door (270°)
- Q-Tight® closing: tight closing for no more leaks from the top of the bag
- · Security drip tray
- Useful volume: 50 400 mL
- Fixed speed (8 strokes/s)
- Variable blending time (30 210 s or ∞)
- · Voltage and frequency

Ref. 022 000 : 110-127 V~ / 220-240 V~ 50-60 Hz

Ref. 022 230 : 220-240 V~ 50-60 Hz

Fuses

Ref. 022 000 : T 3.15 A L 250 V / T1.25A L 250 V 5x20 mm

Ref. 022 230 : T 1.25 A L 250 V 5x20 mm

- Max power: 135 W
- Protection index: IP21
- Dimensions (w x d x h): 26.8 x 44.1 x 28.3 cm, weight: 16.6 kg
- Box dimensions (w x d x h): 49 x 34.5 x 37 cm, gross weight: 19.7 kg
- 3-year warranty
- · Shock absorbers lifetime warranty
- Window door lifetime warranty
- · Availability of spare parts: 10 years
- In compliance with ISO 7218, ISO 6887-1 and FDA-BAM (Bacteriological Analytical Manual)
- Manufactured under CE, RoHS, WEEE
- · Designed and made in France

DELIVERED WITH

- 1 security drip tray
- 1 power cable
- 1 user's manual
- 1 certificate of conformity / warranty card
- 1 free pack of blender bags

1 / 1

BagMixer* 400 W_FT_05/23 Pictures and information are not contractually binding. BagMixer* is trademark. INTERSCIENCE reserves the right to change or improve the specifications of its products without notice. Please visit www.interscience.com for current updates and additional information. RCS 950 356 220 Versailles. INTERSCIENCE SARL F78860

interscience in the world

BOSTON