

BagSeal®

Thermo-sealing unit for bags



- **Safe and strong**
- **Better sealing**
- **Quick sealing**
- **Easy to use**
- **Environment-friendly**

APPLICATIONS

Specially developed for sealing **BagFilter®** and **BagPage®** filter bags. Will also seal sterilization bags for small instruments.

- **BagSeal® 400 : bags of 80, 100, 400 ml.**
- **Sealing indicator**
- **Pressure : 22 Newton / cm²**

HOW TO USE

- 1** Place the **BagFilter®** filled with liquid in the automatic bag holding rim.
- 2** Lay **BagFilter®** bag over the welding bar.
- 3** Lower the handle to close the welding jaws and leave under pression.
- 4** The **BagFilter®** bag is now ready for the incubator or incinerator.

TECHNICAL DATA


Reference	BagSeal® 400
Dimensions	35 x 28 x 32 cm 13.8" x 10.2" x 12.6"
Weight	8 kg / 17.6 lbs
Useful sealing width	260 x 5 mm 10.2" x .20"
Power	700 W
Power supply	110/220V - 50/60Hz



- Please send me: a quotation for **BagSeal®**.
 information on **BagSystem®**.
 free **BagFilter®** sample.

Name.....
 Company.....
 Address.....

 Zip code/City.....
 Country.....
 Tel..... Fax.....
 e-mail..... web.....



interscience

30, ch. du Bois des Arpents 78860 St Nom - France
 Tel. : +33 (0)1 34 62 62 61 Fax : +33 (0)1 34 62 43 03
 e-mail : info@interscience.fr web : www.interscience.fr

Distributor

www.interscience.fr